Hits	Search Text	DBs
		USPAT; US-PGPUB
	"4350345") or ("6150464") or "4523068") or ("5109064") or "358 467").PN.	USPAT; US-PGPUB
. :1	нд. 828889-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
	.g .25.69-\$.did.	DERWENT
		JPO; DERWENT
	38 07962219-\$.did.	JPO; DERWENT
	:: 0:063478-\$.did.	JPO; DERWENT
	.g :::8946-\$.did.	JPO; DERWENT
	eq 255530-\$.did.	JPO; DERWENT
.:1	i 11212455-\$.did.	JPO; DERWENT
	"	USPAT; US-PGPUB
	in the or SiH or silylhydride or collicon\$1 collicon\$2 collicon\$2 collicon\$2 collicon\$3 collicon\$3 collicon\$3 collicon\$4 collicon\$3 collicon\$4 collicon\$3 collicon\$4	USPAT, US-PGPUB, EPO, JPO; DERWENT, IBM_TDB
	i iy ram dighidosiloxane oz rang olyhydridosiloxane	USPAT, US-PGPUB, EPO, JPO, DERWENT, IRM_TDB
9100	: numbpdrogenpolysiloxane or polypanohydrogensiloxane	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
	displiparido adjustane adju fluid or lipitido adjuontajning adjuesin	HSPAT; HS-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	! .		
	Hits	Search Text	DBs
÷		The control of the co	USPAT; US PGPUB; EPO; JPO; DERWENT; IBM TDB
:	96 7 6.0	ingerher or polyoxyalkylenejor ing syethylene or poly adjoxyethylene ing hydexypropylene or poly adj symmere or polyethylene adjoxide or ing adjethylene adjoxide	USPAT; US-PGPUB; HPO; JPO; DERWENT; IBM TDB
1	. T .	systemate or exprepylene or systemeter with polymer	USBAT, US-PGPUB, HPO, JPO, PERWENT, IBM_TDB
-	00000	i jysther or polycxyalkylene or i jysthere or poly adj oxyethylene i jysxypropylene or poly adj oxyethylene or yely adj oxide or jysthylene adj oxide or jysthylene adj oxide or syyetopylene or syyethylene or syyethylene or syyethylene or syyethylene or syyethylene or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDF

Hits	Search Text	DBs
•	The situation of the si	
Ω Ω 	r j fluid or sin)) same e or xyethylene dj adj oxide or or	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB

Hits	Search Text	DBs
	continued and silythydride or hydrogensiliconstructions and hydride or hydrogensiliconstructions and the hydrogenated nears continues or hydrogenated nears continues or polysiloxane or polysiloxane or polysiloxane or polydiorganosiloxane or polydiorganosiloxane or polydiorganosiloxane or polydiorganosiloxane or polydiorganosiloxane or polydiorganohydridosiloxane or campolyhydridosiloxane adj fluid or campolyhydridosiloxane adj campolyhydridosiloxane or poly adj oxyethylene or polyethylene or poly adj oxyethylene or campolymer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
	polynoti (acrylate or methacrylate or USEAT, US-EGFUB, EPO, POLY acrylate) i lymen with (acrylate or methacrylate or USEAT, US-PGPUB, EPO, DOT) i lyndj acrylate) i lyndj (acrylate) i lyndj (acrylate or methacrylate or USEAT, US-PGPUB, EPO, DOT) i lyndj (acrylate or methacrylate or USEAT, US-PGPUB, EPO, DOT) i lyndj acrylate or methacrylate or USEAT, US-PGPUB, EPO, OT) i lyndj acrylate or methacrylate or methi Adj apo, DERWENT, IBM_TDB	HSEAT, US-EGEUB; EPO; JPC; DERWENT; IEM TDB HSEAT; HS-PGPUB; EPO; JPC; DERWENT; IEM TDB USEAT; US-PGPUB; EPO; JPC; DERWENT; IEM_TDB

Hits	Search Text	DBs
	. # H or Siff of silylhydide or hydrogensilicons; a Shindride or hydrogenations; a Shindride or hydrogenation or disconsity or hydrogenated) nears allocated by the hydrogenated or hydrogenated or collocated by the hydrogene or hydrogenesiloxane or hydrogenesiloxane or polyadjoxyadjoxane or polyadjoxyadjoxane or polyadjoxyadjoxane or polyadjoxyadjunethylsiloxane or poms or hydrogenesiloxane or collocated by hydrogenesiloxane or hydrogenesiloxanesiloxanesiloxanesiloxanesiloxanesiloxanesiloxanesiloxanesiloxanesiloxanesiloxanesiloxa	USPAT; US-PGPUB; FPO; JPO; DERWENT; IBM TDB
	this and fide of sulfoxide or sulfoue.	USEAT; US-PGPUB; EPO; JPC; DERWENT; IBM_TDB

Hits	Search Text	DBs
	si-H or SiH or silylhydride or ditronfiled by hydride or hydrogensiliconfiles Schirdride or hydride or hydrogensiliconfiles Schirdride or hydride or hydrogensilyl or ditronfiled by hydrogenated) nears still adj (polymer or oil or clastomes) or polysiloxane or polyorganosiloxane or polyorganosiloxane or polyorganopolysiloxane or polyorganopolysiloxane or polyorganohydridosiloxane or polyorganohydride or polyoxyalkylene or methaecrylate or sulformethaecrylate or methaecrylate or methaecrylate or methaecrylate or sulformethaecrylate or sulfor	USPAT; US-PGPUR; EPO; JPO; DEFWENT; IBM_TDB
-8939	owngreal or O".sub."2 or "O2"	USPAT; US-PGPUB; HPO; JPO; DERWENT; IBM_TDB

DBs	or illicon\$1 illyl or ar5 illoxane oxy adj r ind or JPO; PERWENT; IBM_TDB) and hylene oxide or (poly meth adj late or e))))	oxane USFAT, US PSFUB; BFO; Y adj JPO; DERWENT; IPM_TDB
Search Text	Filtronslady hydride or hydrogensilicons of 50 hydride or hydrogensilicons during the hydride or hydrogensily or during the hydrogenated) nears will constitutions and (polymer or oil or polysiloxane or polysiloxane or polysiloxane or polysiloxane or poly adj oxy adj directly lightness or polysiloxane or programohydrogensiloxane or	elettmer) or polymer or oil or illy rannosilexane or organopolysilexane or ilidiorganesilexane or deconopolysilexane or poly adjoxy adj
Hits		

Hits	Search Text	DBs
	controls and (polymer or oil or closed) or polysiloxane or closed oxane or considerate or constituent or considerate or constituent or considerate or poly adjoxy adjustificane or polymer physically and constituent or constituent or polyoxypropylene or constituent or constituent or polyoxypropylene or constituent or cons	USPAT; US-PGPUB; EPO; JPC; DERWRNT; IBM_TDB
*** ** *	officient adj (polymen or oil or clar mer) or polysiloxane or it is impositoxane or organopolysiloxane it is interpatosiloxane or poly adj oxy adj in interpatosiloxane or poly adj oxy adj interpationer or polysiloxane or polysiloxane or polysiloxane or polyoxypropylene or polyoxypropylene or polyoxypropylene or poly adj oxide or poly oxypropylene or poly adj oxide or poly adj ethylene or syptopylene or systemical or sulforide or sulfore or sulfore or sulfore or sulfore or sulfore or sulfore or systemical o	USPAT; US-PGPUB; EPO; JPC; DERWENT; IBM_TDB

Hits	Search Text	DBs
	restricted (acrylate or methacrylate or meth adj acrylate) or (polymer with crylate or methic by methical acrylate or methical adj (polymer vilor elastomes) or polysiloxane or polydiorganosiloxane or polydioxyaltylene or polyoxyethylene or polyoxyethylene or polyoxyethylene or polyoxyethylene or polyoxyethylene or polydioxyaltylene or polyoxyethylene or companiallylene or oxyethylene or oxyethylene or oxyethylene or sulfoxide or sulfoxide.	MSPAT; UG PGPUR; BPO; JPO; DERWENT; IBM_TDB
π. 	clinton\$1 adj (polymer or oil or electorane) or polysiloxane or polysiloxane or polysiloxane or openopolysiloxane or or organopolysiloxane or poly adj oxy adj bordigisilylene or poly adj oxy adj bordigisilylene or poly adj oxy adj bordigisilylene or polyexyethylene or polyexyethylene or polyexyethylene or polyexyethylene or polyexyethylene or poly adj ethylene adj oxide or poly adj ethylene adj oxide or oxyethylene or polyethylene or oxyethylene or oxyethylene.	USPAT; US-PGPUB; EPO; .TPO; DERWENT; IRM_TDB

- +

•-

	Hits	Search Text	DBs
		morth adj acrylate or methacrylate or morth adj acrylate) or (polymer with crylate) and ((silicon\$1 adj (polymer)) and ((silicon\$1 adj (polymer))) same or polyailoxane or polyoxypropylene or polyailoxane or polyoxypropylene or polyailoxane or polyailoxan	USPAT; US PGPUB; EPO; JPO; DERWENT; IPM_TDB
•	œ 	FARE STREET, CCLS.	USPAT; US-PGPUR; EPO; JPO; DERWENT; IBM TDB
	·		USPAT, US-PGPUB; EPO; JPO; DERWENT; IEM TDB
1	α :	CCLS.	USPAT, US-PGPUR, FPO, JPO, DERWENT, IBM TDB
ě	**		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
		:/«]: .CCLS.	USPAT; US-EGPUR; EPO; JPO; DERWENT; IBM_TDB
+ • •	C	Survet).CCLS.) and ((Polyether or pulsayethylene or polyoxyethylene or polyoxyethylene or pulsayethylene or pulsayethylene or pulsayethylene is a syethylene or polyethylene of collection of thylene and oxyethylene or oxyetopylene or axyethylene or oxyetopylene or axyethylene or oxyethylene or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
:	; ;		USFAT; US-PGPUB; FPO; JPO; DERWENT; IBM_TDB
.	\C.	: CCLS.	USFAT; US-PGPUB; EPO; JPC; DERWENT; IBM_TDB

	Hits	Search Text	DBs
* *	 	: : : ::7) .CCLS.	USPAT, US-PGPUB, EPC, JPO, DERWENT, IEM TDB
	6 P S	Section (CCLS.	USPAT, US-PGPUB, EPO; JPO; DERWENT; IBM TDB
		CCLS.	USCAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
	050	SIDD, CCLS.	HSPAT; HS-PGPHR; EPO; JPO; DERWENT; IBM_TDB
30	8 8 8	::6/182).CCLS.	USPAT; US-PGPUR; EPO; JPO; DERWENT; IBM_TDB
			USPAT; US-PGPUR; EPO; JPO; DERWENT; IBM_TDB
_	. P1	1: 08283339-\$.did.	JPO; DERWENT
		". ::::79") .PN.	USPAT; US-PGPUB
	#GF %	Hy wordlylat\$3 or hydrosilat\$3)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IEM_TDB
,	686877.	Syperor O", sub, "2 or "O?"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TUB
	· • • • • • • • • • • • • • • • • • • •	Hydrosilylat\$3 or hydrosilat\$3)) same agence ("crub."S or "of")	USPAT, US-PGPUB, EPO; JEO; LEEWEHT; IEM_TIB
	. :	Hydrosilylat\$3 or hydrosilat\$3)) with mygen or O".sub." I or "OI")	HSPAT, US PGPUN, EPO; JIO; DENWERT; IBM_TDB